

LIGHTTECH

ILUMINACIÓN PARA **PROYECTOS SOSTENIBLES & BONO VERDE**

- ✓ Certificaciones internacionales
- ✓ Mayor Eficiencia Energética

SPOTS EMPOTRADOS LED

 Ø: 110 H: 36 mm CE	 L: 105 W: 105 H: 44 mm CE	 Ø: 105 H: 45 mm CE	 Ø: 60 H: 30 mm CE	 L: 100 W: 100 H: 40 mm Ø: 100 H: 40 mm CE	 Ø: 103 H: 90.7 mm CE
					
AL + PC 9W 30K 720 lm 145947 9W 60K 740 lm 145948 9W 30K 720 lm 145949 9W 60K 740 lm 145950	AL + PC 9W 30K 550 lm 144698 9W 60K 580 lm 144699	AL + PC 5W 30K 400 lm 145277 5W 60K 425 lm 145278 7W 30K 550 lm 144637 7W 60K 580 lm 144643 10W 30K 850 lm 145230 10W 60K 880 lm 145231	PC 3W 30K 280 lm 144621 3W 60K 300 lm 144642	AL + GLA 6W 30K 540 lm 133217 6W 30K 540 lm 142942	PA 9W 30K 480 lm 146168 9W 30K 600 lm 146169


SPOTS EMPOTRADOS GU10

 Ø: 109.5 H: 81.5 mm CE	 Ø: 82 H: 23 mm CE	 Ø: 82 H: 35 mm CE	 Ø: 92 H: 25 mm CE	 Ø: 96 H: 113 mm Ø: 96 H: 145 mm RoHS	 L: 95 W: 95 H: 130 mm RoHS
					
AL + PBT 8W 30K 500 lm 146237 8W 60K 520 lm 146238	AL 1xGU10 MÁX. 50W 144736	AL 1xGU10 MÁX. 50W 144732	AL 1xGU10 MÁX. 50W 144734	AL 1xGU10 SIMÉTRICO MÁX. 50W 145346 1xGU10 ASIMÉTRICO MÁX. 50W 145347	AL+GLA 1xGU10 WIN MÁX. 50W 143678
				ARKOSLIGHT	ARKOSLIGHT

DOWNLIGHTS EMPOTRADOS LED

 Ø: 110 H: 60 mm CE	 Ø: 150 H: 60 mm Ø: 200 H: 60 mm Ø: 230 H: 60 mm CE	 Ø: 220 H: 18 mm RoHS	 Ø: 223 H: 20 mm CE	 Ø: 190 H: 91 mm CE
				
AL 7W 30K 600 lm 144545	PC 15W 30K 480 lm 145962 15W 40K 1200 lm 143796 25W 30K 2050 lm 145381 25W 40K 2150 lm 144704 30W 30K 2350 lm 143314 30W 40K 2400 lm 143391	AL 18W 60K 1440 lm 145895/145802	AL 18W 30K 1480 lm 144933	PC 20W 60K 1800 lm 144808

DOWNLIGHTS ADOSADOS LED

 L: 220 W: 295 H: 38 mm L: 295 W: 295 H: 38 mm CE	 Ø: 120 H: 32 mm Ø: 170 H: 32 mm Ø: 220 H: 32 mm Ø: 295 H: 32 mm CE	 Ø: 120 H: 32 mm CE	 L: 170 W: 170 H: 32 mm L: 224 W: 224 H: 32 mm L: 290 W: 290 H: 32 mm CE	 Ø: 120 H: 23 mm Ø: 145 H: 23 mm Ø: 190 H: 23 mm CE	 3 PASOS Ø: 145 H: 40 mm Ø: 192 H: 40 mm Ø: 240 H: 40 mm CE
					
AL 18W 30K 1420 lm 145125 24W 40K 1910 lm 144932 24W 60K 1920 lm 146360	AL + PC 6W 30K 480 lm 145962 6W 60K 500 lm 146355 12W 30K 880 lm 145888 12W 60K 900 lm 145889 18W 30K 1420 lm 146357 18W 40K 1430 lm 146003 18W 60K 1440 lm 146339 24W 30K 1900 lm 146358 24W 40K 1910 lm 145592 24W 60K 1920 lm 146359	AL + PC 6W 30K 470 lm 145881 6W 60K 480 lm 145882	AL 12W 60K 900 lm 144938 18W 60K 1440 lm 144939 24W 40K 1920 lm 144932	AL + PC 12W SLIM 30K 940 lm 145359 12W SLIM 60K 960 lm 145360 18W SLIM 30K 1430 lm 145361 18W SLIM 60K 1450 lm 145362 24W SLIM 30K 1930 lm 145363 24W SLIM 40K 1950 lm 145559 24W SLIM 60K 1960 lm 145364	AL 8W 30K/60K 145257 15W 30K/60K 145258 22W 30K/60K 145259
					

DOWNLIGHTS ADOSADOS LED



Ø: 126 H: 17,8 mm
Ø: 167 H: 17,8 mm
Ø: 220 H: 17,8 mm
Ø: 298 H: 17,8 mm



PBT + PC

9W 30K 585 lm 146117
9W 60K 630 lm 146118
12W 30K 1030 lm 146119
12W 60K 1500 lm 146120
18W 30K 1600 lm 146499
18W 60K 1100 lm 146121
24W 30K 1800 lm 146499
24W 60K 1900 lm 146121



Ø: 220 H: 17,8 mm



PBT + PC

18W 30K 1500 lm 146337
SENSOR MOV
18W 60K 1600 lm 146338
SENSOR MOV



Ø: 295 H: 32 mm

**24W** 60K 1920 lm ● 145642

AL + PC

24W 30K 1870 lm ● 145645
24W 60K 1920 lm ● 145644

**24W** 60K 1920 lm ● 145643

LUMINARIAS ADOSADAS LED



Ø: 147 H: 120 mm
Ø: 176 H: 130 mm
Ø: 231 H: 160 mm



AL + MT

15W 30-40-60K 1200 lm 145908
20W 30-40-60K 1640 lm 145909
35W 30-40-60K 2870 lm 145910



Opción 1

Luz Amarilla



Opción 2

Luz Día



Opción 3

Luz Blanca



Ø: 120 H: 31,6 mm
Ø: 170 H: 32,6 mm
Ø: 220 H: 33,6 mm



MT + PC

17W 30K 1530 lm 146435
17W 65K 1530 lm 146436
24W 30K 2160 lm 146437
24W 40K 2160 lm 146438
24W 65K 2160 lm 146439
32W 30K 2880 lm 146440
32W 65K 2880 lm 146441



L: 169 W: 169 H: 32,6 mm



MT + PC

24W 30K 2160 lm 146442
24W 65K 2160 lm 146443

PLAFONES LED IP65



Ø: 221 H: 72 mm



AL + PC

20W 60K 1800 lm 145367
SENSOR MOV

Ø: 167 H: 60 mm
Ø: 221 H: 72 mm

AL + PC

15W 30K 1400 lm 143666
15W 60K 1480 lm 143551
20W 30K 1750 lm 144623
20W 60K 1800 lm 144622



Ø: 226 H: 72 mm



AL + PC

20W 30K 1750 lm 145647
20W 60K 1800 lm 145417



Ø: 226 H: 72 mm



AL + PC

20W 30K 1750 lm 145649
20W 60K 1800 lm 145648



Ø: 226 H: 72 mm



AL + PC

20W 60K 1800 lm 145650

PLAFONES LED



Ø: 300 H: 78 mm



AL + PC

30W 30K 2650 lm 144696
30W 60K 2700 lm 144697



Ø: 300 H: 78 mm



AL + PC

30W 30K 2650 lm 145652
30W 60K 2700 lm 145651



Ø: 300 H: 78 mm



AL + PC

30W 30-40-60K 2700 lm 145702

Opción 1 Luz Amarilla

Opción 2 Luz Blanca

Opción 3 Luz Día



Ø: 280 H: 50 mm



PC

18W 30K-40K-57K 2070 lm 146726
ALTA EFICIENCIA: 115 LM/W
LARGA VIDA ÚTIL: 50,000 HRS

Ø: 125 H: 45 mm
Ø: 200 H: 50 mm
Ø: 280 H: 60 mm
Ø: 360 H: 75 mm

ABS

12W 30K 1030 lm 145587
12W 60K 1080 lm 145588
24W 60K 2160 lm 145589
36W 30K 3160 lm 145818
36W 60K 3240 lm 145590
48W 60K 4320 lm 145591

PANELES EMPOTRADOS LED

 L: 595 W: 595 H: 96 mm 	 L: 595 W: 595 H: 30 mm 	 L: 595 W: 595 H: 10 mm  	 L: 595 W: 595 H: 30 mm  	 L: 595 W: 595 H: 50 mm 
				
AL + MT + Poliestireno 40W 40K 4200 lm 146434	AL + PP 48W 40K 4320 lm 146240 48W 60K 4370 lm 146242 TECNOLOGÍA BACKLIT	AL + PC 40W 60K 4000 lm 146056	AL 40W 40K 4000 lm 145394 DIM 0/1-10V UGR	MT + PMMA 35W 40K 3800 lm 145256

PANELES EMPOTRADOS LED

 L: 1195 W: 295 H: 30 mm 
 L: 1195 W: 295 H: 90 mm 



 AL + PP
48W 40K 3800 lm 146241
TECNOLOGÍA BACKLIT
48W 60K 3840 lm 146234
TECNOLOGÍA BACKLIT
 L: 1195 W: 595 H: 10 mm 



 AL + PMMA
72W 40K 5950 lm 144668

PANELES ADOSADOS LED

 L: 595 W: 595 H: 38 mm 



 AL + PP
48W 40K 3950 lm 145313
48W 60K 4320 lm 146391
TECNOLOGÍA BACKLIT
 L: 1200 W: 300 H: 50 mm 




 AL + PP
48W 60K 3840 lm 146235
TECNOLOGÍA BACKLIT
 L: 1200 W: 150 H: 36 mm 



 AL + PC
48W 40K 3950 lm 145312
48W 60K 4000 lm 145297

LINEALES BLOCK LED

  L: 1131 W: 50 H: 75 mm 
 



 AL
32W 30K-40K-60K 2880 lm 145853
48W 40K 4460 lm 145852

ARTERFACTOS LED

 L: 1150 W: 85 H: 33 mm 
 



 AL
40W 40K 4000 lm 145646

 L: 1217 W: 64 H: 75 mm 



 AL
40W 40K 4400 lm 145302
CON DIFUSOR
40W 40K 3600 lm 145705
CON DIFUSOR
 L: 1200 W: 75 H: 24 mm 



 PC
36W SLIM 65K 2900 lm 146404

 L: 1240 W: 100 H: 30 mm 



 PC
48W 65K 3800 lm 146405

LINEAL EMPOTRADO LED

 L: 1231 W: 84 H: 51 mm 
 



 AL
40W 40K 4000 lm 145270

ARTEFACTOS HERMÉTICOS LED IP65

 L: 1200 W: 63 H: 47 mm 
 



 PC + ABS
48W 60K 4000 lm 145791

 L: 1200 W: 103 H: 62 mm 
 



 PC + ABS
48W 60K 4000 lm 145790

 L: 1275 W: 114 H: 56 mm 
 



 PC + ABS
36W 40K 3500 lm 145940
INC TUBOS
36W 60K 3500 lm 145804
INC TUBOS
 L: 1236 W: 76 H: 74 mm 
 



 PC
40W 40K 3600 lm 145628
SENS MOVIMIENTO
40W 40K 3600 lm 145629
SENS MOVIMIENTO
+ LUZ EMERGENCIA
 L: 1200 W: 66 H: 55 mm 
 
 




 PC + ABS
36W 65K 3000 lm 146336
SENS MOVIMIENTO


COLGANTES DE TECHO



LUMINARIAS SUSPENDIDAS LED



APLIQUES INTERIORES LED



APLIQUES INTERIORES




APLIQUES EXTERIORES LED

	L: 100 W: 90 H: 90 mm				AL 6W 30K 160 lm 118586
	L: 83 W: 123 H: 30 mm				PC 4W 30K 160 lm ○ 145634 4W 30K 160 lm ● 145635
	L: 100 W: 100 H: 100 mm				AL 6W 30K 360 lm ○ 145636 6W 30K 360 lm ● 145637
	L: 140 W: 140 H: 50 mm				AL 6W 30K 420 lm 143937
	L: 300 W: 100 H: 31 mm				PC 12W 30K 540 lm 146503
	L: 230 W: 100 H: 90 mm				PC 12W 30K 580 lm 145032


	Ø: 225 H: 76 mm				PC 20W 60K 1500 lm 144308
	L: 271 W: 146 mm				PC 20W 30K 1750 lm 144806 20W 60K 1800 lm 144807
	L: 300 W: 150 H: 86 mm				PC 20W 30K 1450 lm 146328 20W 60K 1500 lm 146132
	L: 296 W: 146 mm				PC 20W 30K 1750 lm 144804 20W 60K 1800 lm 144805
	L: 215 W: 115 H: 70 mm L: 271 W: 146 H: 76 mm				PC 15W 30K 1400 lm 143667 15W 60K 1480 lm 143552 20W 30K 1750 lm 144624 20W 60K 1800 lm 144625
	L: 230 W: 110 H: 76 mm				PC 12W 60K 600 lm 145319

	L: 270 W: 140 H: 94 mm				PC 30W 30K 2600 lm ○ 145137 30W 60K 2700 lm ○ 145136 30W 30K 2600 lm ● 145135 30W 60K 2700 lm ● 145134
	L: 212 W: 176 H: 118 mm				AL 9W 30K 833 lm 145243
	L: 117 W: 52 H: 86 mm				AL 12W 30K 990 lm 146228
	L: 220 W: 100 H: 100 mm				AL 24W 30K 1577 lm 146229
	Ø: 56 L: 145 W: 120 mm				ABS 6W 30K 480 lm 145355
	Ø: 118 H: 170 mm				AL + GLA 1xGU10 MÁX. 35W 145939

LUCES GUÍA LED

	L: 111 W: 44 H: 78 mm				AL 2W 30K 120 lm 144022
	L: 80 W: 80 H: 61 mm				AL + PC 2W 30K 90 lm 145324
	L: 195 W: 165 H: 63 mm				AL 3W 30K 90 lm 145034
	Ø: 115 H: 106 mm				AL 3W 30K 96 lm ● 145242 3W 30K 96 lm ○ 145092
	L: 195 W: 165 H: 63 mm				AL 3W 30K 256 lm 145090

CAMPANAS INDUSTRIALES LED



Ø: 259.5 H: 185.5 mm
Ø: 288.8 H: 197 mm



PC

100W 60K 14000 lm 146345
150W 60K 21000 lm 146346
ALTA EFICIENCIA: 140 LM/W
ALTA EFICIENCIA: 140 LM/W



Ø: 345 H: 126.6 mm



AL

150W 60K 15000 lm 146327
200W 60K 20000 lm 146116

LUMINARIAS URBANAS LED



L: 380 W: 156 H: 70 mm



AL

40W 30K 4000 lm 145916
60W 40K 6000 lm 145900

EMBUTIDOS DE PISO LED



Ø: 180 H: 120 mm



AL

15W 30K 1200 lm 144778
15W 40K 1250 lm 144688



Ø: 120 H: 70 mm



AL

3W 30K 240 lm 145758
3W 40K 250 lm 145759



Ø: 100 H: 145 mm



AL

7W 30K 560 lm 145827

POSTE LED



L: 900 W: 176 H: 118 mm



AL

9W 30K 833 lm 145244

POSTE E27



Ø: 75 H: 1100 mm



AL

1xE27 MÁX. 40W 81495

ESTACAS LED



Ø: 130 H: 625 mm



ABS

4.5W 27K 292lm 145929



Ø: 74 H: 425 mm



ABS

7W 30K 580lm 144737



Ø: 56 H: 232 mm



ABS

6W 30K 540lm 146716

ESTACAS



Ø: 92 H: 352 mm



PC

1xGU10 MÁX. 50W 16780

REFLECTORES LED



L: 190 W: 135 H: 25 mm
L: 231 W: 160 H: 31 mm



AL

30W 60K 3000 lm 145307
50W 30K 4900 lm 145566
50W 60K 5000 lm 145311



L: 180 W: 130 H: 32 mm



AL

30W 60K 2700 lm 145111



L: 215 W: 156 H: 35 mm



AL

50W 30K 4400 lm 145168
50W 60K 4500 lm 145112



L: 254 W: 246 H: 91 mm



AL

50W 60K 5000 lm 145593



L: 300 W: 260 H: 91 mm



AL

100W 60K 10000 lm 145114



L: 360 W: 312 H: 94 mm



AL

150W 60K 15000 lm 145418



L: 480 W: 360 H: 100 mm



AL

200W 60K 20000 lm 145286



L: 360 W: 381 H: 625 mm



AL

300W 60K 30000 lm 146114



L: 720 W: 214 H: 480 mm



AL

400W 60K 40000 lm 146115

LUMINARIAS DE EMERGENCIA LED



L: 255 W: 90 H: 50.4 mm



L: 351 W: 117 H: 78.3 mm



L: 260 W: 105 H: 59 mm



Ø: 141 H: 24 mm



ABS

3W 75K 90 lm 146126



ABS + PC

3W 75K 128 lm 146230



ABS + PC

2x1.2W 65K 180 lm 145964



ABS

5W 75K 500 lm 146127
INSTALACIÓN TIPO SPOT

RS

72W 30K 300 lm/m 84706

GU10 LED

H: 52 Ø: 50 mm



H: 52 Ø: 50 mm



PC

6W 30K 430 lm 144063
6W 60K 450 lm 144064
8W 30K 580 lm 143708
8W 40K 640 lm 145419
8W 60K 728 lm 143296
8W PREMIUM 30K 850 lm 146166
8W PREMIUM 60K 900 lm 146167



PC

8W COB DIM 30K 580 lm 145383



PC

6W 30K 430 lm 143635
6W 60K 450 lm 143479

GU5.3 LED

H: 42 Ø: 50 mm



TUBOS LED

H: 603 Ø: 28 mm



H: 1212 Ø: 28 mm



PC

T8 10W 40K 800 lm 144826
T8 10W 60K 900 lm 144827
T8 20W 40K 1650 lm 144828

H: 1198 Ø: 28.5 mm



NANOPLÁSTICO

T8 18W 60K 1800 lm 146402

A60 LED

H: 109 Ø: 60 mm



PC

10W 30K 880 lm 144317
10W 60K 900 lm 144318

GLOBOS LED

H: 109 Ø: 80 mm
H: 125 Ø: 90 mm
H: 162 Ø: 126 mm



PC

8W 30K 750 lm 144402 12W 30K 1100 lm 133222 18W 30K 1400 lm 143869
8W 60K 800 lm 144403 12W 60K 1200 lm 133221 18W 60K 1500 lm 143870

UFOS LED

H: 76 Ø: 143 mm
H: 101 Ø: 201 mm
H: 120 Ø: 292 mm
H: 110 Ø: 300 mm



PC

15W 30K 1350 lm 146007 20W 30K 1850 lm 146009 30W 30K 2750 lm 146011 50W 60K 4300 lm 146444
15W 60K 1400 lm 146008 20W 60K 1900 lm 146010 30W 60K 2800 lm 146012

CUBOS LED

L: 85 W: 85 H: 107 mm
L: 95 W: 95 H: 122 mm



RoHS



PC

18W 30K 1580 lm 145621
18W 60K 1620 lm 145622
28W 60K 2520 lm 145623

HIGH POWER LED

H: 155 Ø: 80 mm
H: 183 Ø: 100 mm
H: 20 Ø: 120 mm
H: 230 Ø: 135 mm



PP

15W 65K 1600 lm 146232
26W 65K 2560 lm 145917
36W 65K 4350 lm 146260
45W 65K 4300 lm 145918

DECO LED

H: 98 Ø: 35 mm
H: 78 Ø: 45 mm
H: 108 Ø: 60 mm



GLA

G35 5W 27K 540 lm 146678
G45 5W 27K 540 lm 146679
A60 7W 27K 725 lm 146680

H: 140 Ø: 95 mm
H: 171 Ø: 125 mm



GLA

G95 7W 27K 725 lm 146682
G125 7W 27K 725 lm 146683

H: 140 Ø: 64 mm
H: 140 Ø: 110 mm



GLA

ST64 7W 27K 725 lm 146681
PRISMA 6W 25K 600 lm 146667

GU10 LED

H: 54 Ø: 50 mm



PC

8W 30K 560 lm 146396
8W 60K 560 lm 146397

GU5.3 LED

H: 50 Ø: 50 mm



PC

8W 30K 560 lm 146398
8W 60K 560 lm 146399

A60 LED

H: 108 Ø: 60 mm
H: 112 Ø: 60 mm



PC

10W 30K 850 lm 146392
10W 60K 850 lm 146393
12W 30K 1020 lm 146394
12W 60K 1020 lm 146395

GLOBO LED

H: 140 Ø: 95 mm



PC

12W 30K 1020 lm 146400
12W 60K 1020 lm 146401

TUBO LED

H: 1198 Ø: 28.5 mm



NANO PLASTIC

T8 18W 60K 1800 lm 146402