


# BOMBILLERÍA LED



## LIGHTTECH

### GU10 LED

LED | GU10 | PBT-PC | 150-240V 50-60Hz

56 mm  
Ø: 50 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | AMARILLA 3000K

| W          | K    | Lm  | Δ   | IP | CRI | Código |
|------------|------|-----|-----|----|-----|--------|
| 6W         | 3000 | 430 | 60° | 20 | 80  | 144063 |
| 6W         | 6000 | 450 | 60° | 20 | 80  | 144064 |
| 8W         | 3000 | 580 | 60° | 20 | 80  | 143708 |
| 8W         | 4000 | 640 | 60° | 20 | 80  | 145419 |
| 8W         | 6000 | 600 | 60° | 20 | 80  | 143296 |
| 8W Premium | 3000 | 750 | 60° | 20 | 80  | 146074 |
| 8W Premium | 6000 | 800 | 60° | 20 | 80  | 146075 |

### GU10 LED SMART

LED | GU10 | DIMABLE | COB | PBT-PC | 150-240V 50-60Hz

56 mm  
Ø: 50 mm

LUZ AMARILLA 3000K

| W  | K    | Lm  | Δ   | IP | CRI | Código |
|----|------|-----|-----|----|-----|--------|
| 8W | 3000 | 580 | 60° | 20 | 80  | 145383 |

### GU10 LED SMART

LED | GU10 | DIMABLE | 3 LUCES | PBT-PC | 220-240V 50-60Hz

54 mm  
Ø: 50 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | LUZ AMARILLA 2700K | LUZ RGB

| W  | K               | Lm  | Δ   | IP | CRI | Código |
|----|-----------------|-----|-----|----|-----|--------|
| 5W | 2700-6500 / RGB | 400 | 38° | 20 | 80  | 146634 |

POWER BY **tuya**

### GU5.3 LED

LED | GU5.3 | PBT-PC | 150-240V 50-60Hz

48 mm  
Ø: 50 mm

LUZ BLANCA 6500K | AMARILLA 3000K

| W  | K    | Lm  | Δ   | IP | CRI | Código |
|----|------|-----|-----|----|-----|--------|
| 4W | 3000 | 300 | 60° | 20 | 80  | 144619 |
| 4W | 6000 | 340 | 60° | 20 | 80  | 144620 |
| 6W | 3000 | 430 | 60° | 20 | 80  | 143635 |
| 6W | 6000 | 450 | 60° | 20 | 80  | 143479 |
| 8W | 3000 | 560 | 60° | 20 | 80  | 143480 |
| 8W | 6000 | 580 | 60° | 20 | 80  | 143481 |

### G9 LED

LED | G9 | PC | 180-240V 50-60Hz

52 mm  
16 mm

LUZ BLANCA 6500K | LUZ AMARILLA 2700K

| W  | K    | Lm  | Δ    | IP | CRI | Código |
|----|------|-----|------|----|-----|--------|
| 3W | 2700 | 260 | 300° | 20 | 80  | 143297 |
| 3W | 6000 | 280 | 300° | 20 | 80  | 143298 |

### G45 LED

LED | G9 | PC | 220V 50-60Hz

58 mm  
19 mm

LUZ AMARILLA 3000K

| W    | K    | Lm  | Δ    | IP | CRI | Código |
|------|------|-----|------|----|-----|--------|
| 4.5W | 3000 | 550 | 320° | 20 | 80  | 146500 |

### G45 LED

LED | E27 | AL+PC | 180-265V 50-60Hz

86 mm  
Ø: 45 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

| W  | K    | Lm  | Δ    | IP | CRI | Código |
|----|------|-----|------|----|-----|--------|
| 7W | 3000 | 560 | 150° | 20 | 80  | 146501 |
| 7W | 6000 | 560 | 150° | 20 | 80  | 146502 |

### A60 LED

LED | E27 | PBT-PC | 150-240V 50-60Hz

109 mm  
Ø: 60 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

| W   | K    | Lm  | Δ    | IP | CRI | Código |
|-----|------|-----|------|----|-----|--------|
| 10W | 3000 | 880 | 200° | 20 | 80  | 144317 |
| 10W | 6000 | 900 | 200° | 20 | 80  | 144318 |

### A60 LED SMART

LED | GU10 | DIMABLE | 3 LUCES | PBT-PC | 220-240V 50-60Hz

120 mm  
Ø: 60 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | LUZ AMARILLA 2700K | LUZ RGB

| W   | K               | Lm  | Δ    | IP | CRI | Código |
|-----|-----------------|-----|------|----|-----|--------|
| 10W | 2700-6500 / RGB | 806 | 200° | 20 | 80  | 146633 |

POWER BY **tuya**

### GLOBOS LED

LED | E27 | PC | 150-240V 50-60Hz

111 mm  
Ø: 80 mm

LUZ AMARILLA 3000K

| W  | K    | Lm  | Δ    | IP | CRI | Código |
|----|------|-----|------|----|-----|--------|
| 8W | 3000 | 750 | 200° | 20 | 80  | 144402 |

### GLOBOS LED

LED | E27 | PC | 150-240V 50-60Hz

128 mm  
Ø: 95 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 12W | 3000 | 1100 | 200° | 20 | 80  | 133222 |
| 12W | 6000 | 1200 | 200° | 20 | 80  | 133221 |

### CUBOS LED


LED | E27 | PBT | 180-260V 50-60Hz

107 mm  
85 x 85 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 18W | 3000 | 1580 | 180° | 20 | 80  | 145621 |
| 18W | 6000 | 1620 | 180° | 20 | 80  | 145622 |

# BOMBILLERÍA LED



LIGHTTECH

## PAR38 LED

LED E27 PBT 165-265V 50-60Hz



122 mm

95 x 95 mm

LUZ BLANCA 6000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 28W | 6000 | 2520 | 180° | 20 | 80  | 145623 |

LED E27 PBT+PC IP65 150-240V 50-60Hz



121 mm

Ø 121 mm

LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ   | IP | CRI | Código |
|-----|------|------|-----|----|-----|--------|
| 15W | 3000 | 1200 | 38° | 65 | 80  | 143595 |

## DECO VINTAGE LED

LED E27 GLA 220-240V 50-60Hz



171 mm

Ø 125 mm

LUZ AMARILLA 2500K

| W       | K    | Lm  | Δ    | IP | CRI | Código |
|---------|------|-----|------|----|-----|--------|
| G125 7W | 2700 | 725 | 300° | 20 | 80  | 146683 |

LED E27 GLA 220-240V 50-60Hz



140 mm

Ø 95 mm

LUZ AMARILLA 2500K

| W      | K    | Lm  | Δ    | IP | CRI | Código |
|--------|------|-----|------|----|-----|--------|
| G95 7W | 2700 | 725 | 300° | 20 | 80  | 146682 |

LED E27 GLA 220-240V 50-60Hz



140 mm

Ø 64 mm

LUZ AMARILLA 1200K

| W       | K    | Lm  | Δ    | IP | CRI | Código |
|---------|------|-----|------|----|-----|--------|
| ST64 7W | 2700 | 725 | 300° | 20 | 80  | 146681 |

LED E27 GLA 220-240V 50-60Hz



108 mm

Ø 60 mm

LUZ AMARILLA 2500K

| W      | K    | Lm  | Δ    | IP | CRI | Código |
|--------|------|-----|------|----|-----|--------|
| A60 7W | 2700 | 725 | 300° | 20 | 80  | 146680 |

LED E14 GLA 220-240V 50-60Hz



98 mm

Ø 35 mm

LUZ BLANCA 2500K

| W      | K    | Lm  | Δ    | IP | CRI | Código |
|--------|------|-----|------|----|-----|--------|
| C35 5W | 2700 | 540 | 300° | 20 | 80  | 146678 |

LED E27 GLA 220-240V 50-60Hz



78 mm

Ø 45 mm

LUZ BLANCA 2500K

| W      | K    | Lm  | Δ    | IP | CRI | Código |
|--------|------|-----|------|----|-----|--------|
| G45 5W | 2700 | 540 | 300° | 20 | 80  | 146679 |

## UFOS LED

LED E27 GLA 100-240V 50-60Hz



140 mm

Ø 110 mm

LUZ BLANCA 6000K

| W         | K    | Lm  | Δ    | IP | CRI | Código |
|-----------|------|-----|------|----|-----|--------|
| PRISMA 6W | 2500 | 600 | 360° | 20 | 80  | 146667 |

LED E27 PBT+PC 150-240V 50-60Hz



76 mm

Ø 143 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 15W | 3000 | 1350 | 110° | 20 | 80  | 146007 |
| 15W | 6000 | 1400 | 110° | 20 | 80  | 146008 |

LED E27 PBT+PC 150-240V 50-60Hz



101 mm

Ø 201 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 20W | 3000 | 1850 | 120° | 20 | 80  | 146009 |
| 20W | 6000 | 1900 | 120° | 20 | 80  | 146010 |

LED E27 PBT+PC 150-240V 50-60Hz




120 mm

Ø 292 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 30W | 3000 | 2750 | 120° | 20 | 80  | 146011 |
| 30W | 6000 | 2800 | 120° | 20 | 80  | 146012 |

# BOMBILLERÍA LED



**LIGHT**TECH

## UFO FLORAL LED

LED E27 AL+PC 180-265V 50-60Hz

110 mm  
Ø: 300 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 50W | 6000 | 4300 | 180° | 20 | 80  | 146444 |

LED E27 PC 180-265V 50-60Hz

90 mm  
Ø: 190 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 24W | 6500 | 1920 | 180° | 20 | 70  | 145390 |

## UFOS METÁLICOS LED

LED E27 AL+PC 180-265V 50-60Hz

90 mm  
Ø: 190 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 30W | 6500 | 2400 | 180° | 20 | 70  | 145399 |

LED E27 AL+PC 180-265V 50-60Hz

95 mm  
Ø: 220 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 40W | 6500 | 3200 | 180° | 20 | 70  | 145400 |

## CAMPANAS LED

LED E27 AL+PC 180-265V 50-60Hz

120 mm  
Ø: 300 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 65W | 6500 | 5200 | 180° | 20 | 70  | 145780 |

LED E27 AL+PC 180-265V 50-60Hz

90 mm  
Ø: 190 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 30W | 6500 | 2400 | 180° | 20 | 70  | 145397 |

LED E27 AL+PC 180-265V 50-60Hz

95 mm  
Ø: 220 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 40W | 6500 | 3200 | 180° | 20 | 70  | 145398 |

LED E27 AL 220-240V 50-60Hz

160 mm  
Ø: 300 mm

LUZ DÍA 4000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 25W | 4000 | 2000 | 120° | 20 | 80  | 145764 |
| 30W | 4000 | 2400 | 120° | 20 | 80  | 145767 |

## HIGH POWER LED

LED E27 AL 220-240V 50-60Hz

130 mm  
Ø: 250 mm

LUZ DÍA 4000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 25W | 4000 | 2000 | 120° | 20 | 80  | 145762 |
| 30W | 4000 | 2400 | 120° | 20 | 80  | 145765 |

LED E27 AL 220-240V 50-60Hz

130 mm  
Ø: 250 mm

LUZ DÍA 4000K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 25W | 4000 | 2000 | 120° | 20 | 80  | 145763 |
| 30W | 4000 | 2400 | 120° | 20 | 80  | 145766 |

LED E27 PP 180-265V 50-60Hz

135 mm  
Ø: 80 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 15W | 6500 | 1600 | 180° | 20 | 80  | 146232 |


LED E27 PP 180-265V 50-60Hz

183 mm  
Ø: 100 mm

LUZ BLANCA 6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 26W | 6500 | 2560 | 180° | 20 | 80  | 145917 |

# BOMBILLERÍA LED



LED

PP

165-265V  
50-60HZ

205 mm

Ø:120 mm

LUZ BLANCA  
6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 36W | 6500 | 3450 | 180° | 20 | 80  | 146260 |

LED

PP

165-265V  
50-60HZ

230 mm

Ø:135 mm

LUZ BLANCA  
6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 45W | 6500 | 4300 | 180° | 20 | 80  | 145918 |

LED

PP

165-265V  
50-60HZ

255 mm

Ø:150 mm

LUZ BLANCA  
6500K

| W   | K    | Lm   | Δ    | IP | CRI | Código |
|-----|------|------|------|----|-----|--------|
| 54W | 6500 | 5000 | 180° | 20 | 80  | 146725 |

## TUBO LED ECO

LED

PC

180-265V  
50-60HZ

198 mm

Ø: 28.5 mm

LUZ BLANCA  
6500K

| W      | K    | Lm   | Δ    | IP | CRI | Código |
|--------|------|------|------|----|-----|--------|
| T8 18W | 6000 | 1800 | 160° | 20 | 80  | 146402 |

## TIRA FLEXIBLE LED

RS

220V  
60HZ

12 mm

5000 mm

LUZ BLANCA  
3000K

| W   | K    | Lm      | Δ    | IP | Código |
|-----|------|---------|------|----|--------|
| 72W | 3000 | 300Lm/m | 120° | 65 | 84706  |