

BOMBILLERÍA LED

LIGHTTECH

GU10

LED | GU10 | PBT+PC | 150-240V 50-60Hz



56 mm
Ø: 50 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
6W	3000	520	60°	20	80	144063
6W	6000	570	60°	20	80	144064
8W	3000	580	60°	20	80	143708
8W	4000	600	60°	20	80	145419
8W	6000	728	60°	20	80	143296
8W Premium	3000	850	60°	20	80	146166
8W Premium	6000	900	60°	20	80	146167

GU10 SMART

LED | GU10 | DIMABLE | COB | PBT+PC | 150-240V 50-60Hz



56 mm
Ø: 50 mm

LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
8W	3000	580	60°	20	80	145383

GU10 SMART

LED | GU10 | DIMABLE | RGB | PBT+PC | 220-240V 50-60Hz



54 mm
Ø: 50 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | LUZ AMARILLA 2700K | RGB 16 millones de colores

W	K	Lm	Δ	IP	CRI	Código
5W	2700-6500 / RGB	400	38°	20	80	146634

POWER BY **tuya**

GU5.3

LED | GU5.3 | PBT+PC | 150-240V 50-60Hz



48 mm
Ø: 50 mm

LUZ BLANCA 6500K | AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
4W	3000	300	60°	20	80	144619
4W	6000	340	60°	20	80	144620
6W	3000	430	60°	20	80	143635
6W	6000	450	60°	20	80	143479
8W	3000	560	60°	20	80	143480
8W	6000	580	60°	20	80	143481

G9

LED | G9 | PC | 180-240V 50-60Hz



52 mm
16 mm

LUZ BLANCA 6500K | LUZ AMARILLA 2700K

W	K	Lm	Δ	IP	CRI	Código
3W	2700	260	320°	20	80	143297
3W	6000	280	320°	20	80	143298

G45

LED | G9 | PC | 220V 50-60Hz



58 mm
19 mm

LUZ AMARILLA 2700K

W	K	Lm	Δ	IP	CRI	Código
4.5W	3000	550	320°	20	80	146500

G45

LED | E27 | AL+PC | 180-265V 50-60Hz



86 mm
Ø: 45 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
7W	3000	560	150°	20	80	146501
7W	6000	560	150°	20	80	146502

A60

LED | E27 | PBT+PC | 150-240V 50-60Hz



109 mm
Ø: 60 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
10W	3000	880	220°	20	80	144317
10W	6000	900	220°	20	80	144318

A60 SMART

LED | E27 | DIMABLE | RGB | PBT+PC | 220-240V 50-60Hz



120 mm
Ø: 60 mm

LUZ BLANCA 6500K | LUZ DÍA 4000K | LUZ AMARILLA 2700K | LUZ RGB 16 millones de colores

W	K	Lm	Δ	IP	CRI	Código
10W	2700-6500 / RGB	806	200°	20	80	146633

POWER BY **tuya**

GLOBOS

LED | E27 | PC | 150-240V 50-60Hz



128 mm
Ø: 95 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
12W	3000	1100	200°	20	80	133222
12W	6000	1200	200°	20	80	133221

GLOBOS

LED | E27 | PC | 150-240V 50-60Hz



153 mm
Ø: 120 mm

LUZ DÍA 4000K

W	K	Lm	Δ	IP	CRI	Código
18W	4000	1400	200°	20	80	147198

CUBOS

LED | E27 | PBT | 180-260V 50-60Hz



107 mm
85 x 85 mm

LUZ BLANCA 6500K | LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
18W	3000	1580	180°	20	80	145621
18W	6000	1620	180°	20	80	145622

BOMBILLERÍA LED

LIGHTTECH

PAR38

LED E27 PBT 165-265V 50-60Hz

122 mm

95 x 95 mm

LUZ BLANCA 6000K

W	K	Lm	Δ	IP	CRI	Código
28W	6000	2520	180°	20	80	145623

LED E27 PBT+PC IP65 150-240V 50-60Hz

121 mm

Ø 121 mm

LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
15W	3000	1200	38°	65	80	143595

DECO VINTAGE

LED E27 GLA 220-240V 50-60Hz

171 mm

Ø 125 mm

LUZ AMARILLA 2700K

W	K	Lm	Δ	IP	CRI	Código
G125 7W	2700	725	300°	20	80	146683

LED E27 GLA 220-240V 50-60Hz

140 mm

Ø 95 mm

LUZ AMARILLA 2700K

W	K	Lm	Δ	IP	CRI	Código
G95 7W	2700	725	300°	20	80	146682

LED E27 GLA 220-240V 50-60Hz

140 mm

Ø 64 mm

LUZ AMARILLA 1200K

W	K	Lm	Δ	IP	CRI	Código
ST64 7W	2700	725	300°	20	80	146681

LED E27 GLA 220-240V 50-60Hz

108 mm

Ø 60 mm

LUZ AMARILLA 2700K

W	K	Lm	Δ	IP	CRI	Código
A60 7W	2700	725	300°	20	80	146680

LED E14 GLA 220-240V 50-60Hz

98 mm

Ø 35 mm

LUZ BLANCA 2700K

W	K	Lm	Δ	IP	CRI	Código
C35 5W	2700	540	300°	20	80	146678

LED E27 GLA 220-240V 50-60Hz

78 mm

Ø 45 mm

LUZ BLANCA 2700K

W	K	Lm	Δ	IP	CRI	Código
G45 5W	2700	540	300°	20	80	146679

UFOS

LED E27 GLA 100-240V 50-60Hz

140 mm

Ø 110 mm

LUZ BLANCA 2500K

W	K	Lm	Δ	IP	CRI	Código
PRISMA 6W	2500	600	360°	20	80	146667

LED E27 PBT+PC 150-240V 50-60Hz

76 mm

Ø 143 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
15W	3000	1350	110°	20	80	146007
15W	6000	1400	110°	20	80	146008

LED E27 PBT+PC 150-240V 50-60Hz

101 mm

Ø 201 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
20W	3000	1850	120°	20	80	146009
20W	6000	1900	120°	20	80	146010

LED E27 PBT+PC 150-240V 50-60Hz

120 mm

Ø 292 mm

LUZ BLANCA 6000K LUZ AMARILLA 3000K

W	K	Lm	Δ	IP	CRI	Código
30W	3000	2750	120°	20	80	146011
30W	6000	2800	120°	20	80	146012

BOMBILLERÍA LED

LIGHTTECH

UFO FLORAL

LED E27 AL+PC 180-265V 50-60Hz



110 mm
Ø: 300 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
50W	6000	4300	180°	20	80	146444

LED E27 PC 180-265V 50-60Hz



90 mm
Ø: 190 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
24W	6500	1920	180°	20	70	145390

UFOS METÁLICOS

LED E27 AL+PC 180-265V 50-60Hz



90 mm
Ø: 190 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
30W	6500	2400	180°	20	70	145399

LED E27 AL+PC 180-265V 50-60Hz



95 mm
Ø: 220 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
40W	6500	3200	180°	20	70	145400

CAMPANAS

LED E27 AL+PC 180-265V 50-60Hz



120 mm
Ø: 300 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
65W	6500	5200	180°	20	70	145780

LED E27 AL 220-240V 50-60Hz



160 mm
Ø: 300 mm

LUZ DÍA 4000K

W	K	Lm	Δ	IP	CRI	Código
30W	6000	2400	120°	20	80	145767

LED E27 AL 220-240V 50-60Hz



130 mm
Ø: 250 mm

LUZ DÍA 4000K

W	K	Lm	Δ	IP	CRI	Código
25W	4000	2000	120°	20	80	145763
30W	4000	2400	120°	20	80	145766

HIGH POWER

LED E27 PP 165-265V 50-60Hz



155 mm
Ø: 80 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
15W	6500	1600	180°	20	80	146232

LED E27 PP 165-265V 50-60Hz



183 mm
Ø: 100 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
26W	6500	2560	180°	20	80	145917

LED E27 PP 165-265V 50-60Hz



205 mm
Ø: 120 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
36W	6500	3450	180°	20	80	146260

LED E27 PP 165-265V 50-60Hz



230 mm
Ø: 135 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
45W	6500	4300	180°	20	80	145918

LED E27 PP 165-265V 50-60Hz



255 mm
Ø: 150 mm

LUZ BLANCA 6500K

W	K	Lm	Δ	IP	CRI	Código
54W	6500	5000	180°	20	80	146725

BOMBILLERÍA LED



TUBO ECO

LED

G13

PC

180-265V
50-60HZ

1198 mm



Ø 28,5 mm

Luz Blanca 6000K



W	K	Lm	Δ	IP	CRI	Código
T8 18W	6000	1800	160°	20	80	146402

TIRA FLEXIBLE

RS

220V
60HZ

Incluye Driver

12 mm



5000 mm



Luz Blanca 3000K



W	K	Lm	Δ	IP	Código
72W	3000	300Lm/m	120°	65	84706

PL

12V

No Incluye Driver

(Recortable cada 50 mm)



5000 mm



Luz DÍA 4000K

Luz Blanca 5000K



W	K	Lm	Δ	IP	Código
50W	3000	10W/m	180°	20	147122
50W	4000	10W/m	180°	20	147123

PL

12V

No Incluye Driver

(Recortable cada 25 mm)



5000 mm



Luz Blanca 3000K



W	K	Lm	Δ	IP	Código
50W COB	3000	10W/m	180°	20	147124